


Product Manual

Nozzle cleaning accessories



TP-SG Dual-purpose Nozzle



Main Technical Specifications

order number	project	technical parameter
1	Product Material	Synthetic aluminum forging process
2	weight	71g
3	length	80mm
4	Connection method	Quick plug male connector
5	functional characteristics	Compatible with foam and clear water modes

TP-SG-Bullet Nozzle



Main Technical Specifications

order number	project	technical parameter
1	Product Material	304 Stainless Steel
2	weight	55g
3	length	81.5mm
4	Connection method	Quick plug male connector
5	functional characteristics	Concentrated water jet for powerful flushing.

TP-SG Universal Rotating Nozzle



High-Pressure Water Gun 4-Color Nozzles

Flexible Use • Variable Spray • Leak-Resistant


(2.0 mm Orifice) Set of 4

Suitable for 22-35 L/min Pressure Washers
 (For 55/58/550 and other high-flow belt-drive models)

Main Technical Specifications

order number	project	technical parameter
1	Product Material	304 Stainless Steel
2	weight	55g
3	length	53mm
4	Connection method	Quick-connect male connector (1/4)
5	functional characteristics	Adjustable at 45° angles in all directions; automatic angle adjustment; no blind spots during cleaning.

TP-SG Sectoral Nozzle



High-Pressure Water Gun 4-Color Nozzles

Flexible Use • Variable Spray • Leak-Resistant

(2.0 mm Orifice) Set of 4

Suitable for 22-35 L/min Pressure Washers
 (For 55/58/550 and other high-flow belt-drive models)

Main Technical Specifications

order number	project	technical parameter
1	Product Material	304 Stainless Steel
2	weight	18g
3	length	30mm
4	Connection method	Quick-connect male connector (1/4)
5	functional characteristics	0°/15°/25°/40° for cleaning operations